


Dimmer, 300W/VA, RLC, 2 vezetékes

Fedél EV102013



Schrack-Info

Universal rotary dimmer with on/off button for resistive, inductive or capacitive loads. The dimmer is equipped with automatic load detection, i.e. the dimmer adjusts the operating mode when the load is first connected. The memory function turns on the lamp (by pressing the knob) with the brightness it had before the last switch-off. For completion the dimmer cover EV102013--, EV112013-- or EV122013-- must be used. No neutral conductor is required for the connection.



Technische Daten

Nettó hosszúság (mm)	70,00
Nettó szélesség (mm)	70,00
Nettó magasság (mm)	40,00
Nettó tömeg (kg)	0,10
Termékcsalád	03-VISIO 50
Típus	CLASSIC
Termék típusa	dimmer
Dimmer típus	univerzális

Technische Daten - Fortsetzung

Terhelés típusa	kapacitív induktív ohmikus
Dimmelhető fényforrás	izzólámpa kisfeszültségű halogén lámpa törpefeszültségű halogén lámpa hagyományos transzformátorral törpefeszültségű halogén lámpa elektronikus transzformátorral
Teljesítménytartomány	20-300 W/VA
AC tápfeszültség (V)	230
Szerelés	csavar és karmos
Rögzítési mód	süllyesztett
Üzemi hőmérséklet	+5 °C ... +45 °C
Védelmi funkció	visszaállítható túlterhelésvédelem
Védettségi fokozat	IP20
Csatlakozás típusa	csavaros kapcsok
Csatlakozó kapcsok	EN 60669-1 szerint
Beköthető vezeték	tömör hajlékony érvéghüvellyel hajlékony
Beköthető vezeték keresztmetszet (mm ²)	1,5 und 2,5
Anyag	horganyzott acél ABS
Környezet	halogénmentes
Fenntarthatóság	ROHS
Bevizsgálás	VDE
Méretek (mm)	70x70x40
Beépítési mélység (mm)	35

adat táblázat: Dimmer, 300W/VA, RLC, 2 vezetékes

	1	2	3	4	5	6	7
Min.	60 W	60 W	60 VA	60 VA	-	-	-
Max.	300 W	300 W	300 VA	300 VA	-	-	-

1 ... Glühlampen

2 ... Halogenlampe

3 ... konventioneller Transformator


4 ... elektronischer Transformator

5 ... dimmbare Energiesparlampe CFL


6 ... dimmbare 230 V LED-Lampe

7 ... dimmbare 12 V LED-Lampe

Anschlussplan



Abmessungen (mm)



BEZEICHNUNG	BEST.NR.
Dimmer, 300W/VA, RLC, 2 vezetékes	
Fedél EV102013	EV103002