

Datenblatt für Artikel: HSELS165FG

Optikai rendező 16szálas, FC, 50/ 125µm OM2, kihúzható, 19", 1U

RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM



SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

Properties Housing:

- 19", 1 U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open


Standards:

50173-1, EN 61300-3-6, EN 61300-3-74

Technische Daten

Nettó szélesség (mm)	482,50
Nettó magasság (mm)	43,60
Nettó mélység (mm)	211,50
Nettó tömeg (kg)	2,70
Szín	RAL 7035 (világos szürke)
Min. környezeti hőmérséklet (°C)	-10
Max. környezeti hőmérséklet (°C)	70
Szál	50/125µ OM2 multimódusú
Szálszám	16
Toldó/csatlakozó	FC

Dimension drawing



Artikeltabelle

BEZEICHNUNG	BEST.NR.
Optikai rendező 16szálas,FC,50/125µm OM2, kihúzható, 19", 1U	HSELS165FG
RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM	
Választható tartozék	
FO optikai kábel kötés védelem, 60mm	HELSP00011
FO optikai kábel kötés védelem, 40mm	HELSP00010
Opt. patchkábel duplex FC/FC,50/125µm OM2,LS0H-3,narancs 2m	HLP25FF02F
Opt. patchkábel duplex FC/FC,50/125µm OM2,LS0H-3,narancs 5m	HLP25FF05F
Opt. patchkábel duplex SC/FC,50/125µm OM2,LS0H-3,narancs 2m	HLP25CF02F
Opt. patchkábel duplex SC/FC,50/125µm OM2,LS0H-3,narancs 5m	HLP25CF05F
Opt. patchkábel duplex ST/FC,50/125µm OM2,LS0H-3,narancs 2m	HLP25TF02F
Opt. patchkábel duplex LC/FC,50/125µm OM2,LS0H-3,narancs 2m	HLP25LF02F
Opt. patchkábel duplex LC/FC,50/125µm OM2,LS0H-3,narancs 5m	HLP25LF05F