





Datenblatt für Artikel: HSELS245FG

# Optikai rendező 24szálas, FC, 50/ 125µm OM2, kihúzható, 19", 1U

RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM



## SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

### Properties Housing:

- 19", 1 U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open




### Standards:

50173-1, EN 61300-3-6, EN 61300-3-86

## Technische Daten

|                                  |                           |
|----------------------------------|---------------------------|
| Nettó szélesség (mm)             | 482,50                    |
| Nettó magasság (mm)              | 43,60                     |
| Nettó mélység (mm)               | 211,50                    |
| Nettó tömeg (kg)                 | 2,70                      |
| Szín                             | RAL 7035 (világos szürke) |
| Min. környezeti hőmérséklet (°C) | -10                       |
| Max. környezeti hőmérséklet (°C) | 70                        |
| Szál                             | 50/125µ OM2 multimódusú   |
| Szálszám                         | 24                        |
| Toldó/csatlakozó                 | FC                        |

## Dimension drawing



## Artikeltabelle

| BEZEICHNUNG                                                                  | BEST.NR.   |
|------------------------------------------------------------------------------|------------|
| Optikai rendező 24szálas,FC,50/125µm OM2, kihúzható, 19", 1U                 | HSELS245FG |
| RAL7035, sliding, pigtails inserted and prepared ready for splicing, PREMIUM |            |
| <b>Választható tartozék</b>                                                  |            |
| FO optikai kábel kötés védelem, 60mm                                         | HELSP00011 |
| FO optikai kábel kötés védelem, 40mm                                         | HELSP00010 |
| Opt. patchkábel duplex FC/FC,50/125µm OM2,LS0H-3,narancs 2m                  | HLP25FF02F |
| Opt. patchkábel duplex FC/FC,50/125µm OM2,LS0H-3,narancs 5m                  | HLP25FF05F |
| Opt. patchkábel duplex SC/FC,50/125µm OM2,LS0H-3,narancs 2m                  | HLP25CF02F |
| Opt. patchkábel duplex SC/FC,50/125µm OM2,LS0H-3,narancs 5m                  | HLP25CF05F |
| Opt. patchkábel duplex ST/FC,50/125µm OM2,LS0H-3,narancs 2m                  | HLP25TF02F |
| Opt. patchkábel duplex LC/FC,50/125µm OM2,LS0H-3,narancs 2m                  | HLP25LF02F |
| Opt. patchkábel duplex LC/FC,50/125µm OM2,LS0H-3,narancs 5m                  | HLP25LF05F |