


Datenblatt für Artikel: HSELS48SLP

# Optikai rendező, 48 szál, LC, 50/125µm OM5, 19", 1U, Class C

megfelel IEC 61753-1, RAL7035, CLASSIC



## Schrack-Info

These spliceboxes are delivered assembled with already installed couplers and enclosed pigtails (all connectors come with ceramic ferrule).

The spliceboxes are depth-adjustable using the two 19" brackets.

The spliceboxes have one, two or four splice trays depending on the number of fibres with integral splice organisers for shrink-on splice protectors and is designed for up to 4 cable entries, equipped with one M20 cable entry by default.

Blind covers are used to close off unused cable entry ports.

Two versions for up to 48 fibres in a sliding tray design are available:

- with 24 LC-Duplex couplers
- with 24 SC-Duplex couplers
- Material: zinc-coated steel
- Installation: 19", 1U
- Dimensions W x H x D: 483 x 44 x 240mm
- Housing color: RAL7035 Light grey
- Color of couplers (LC and SC): Lime-green
- Dustcovers (LC and SC): Included

## Technische Daten

|                      |        |
|----------------------|--------|
| Nettó szélesség (mm) | 480,00 |
|----------------------|--------|

## Technische Daten - Fortsetzung

|                                        |                           |
|----------------------------------------|---------------------------|
| Nettó magasság (mm)                    | 44,00                     |
| Nettó mélység (mm)                     | 242,00                    |
| Nettó tömeg (kg)                       | 2,53                      |
| Szál                                   | 50/125 OM5 Multimode      |
| Szín                                   | RAL 7035 (világos szürke) |
| Jellemző bemeneti veszteség (dB)       | < 0,2                     |
| Jellemző visszaverődési veszteség (dB) | > 35                      |
| Min. környezeti hőmérséklet (°C)       | -10                       |
| Max. környezeti hőmérséklet (°C)       | 70                        |
| Szálszám                               | 48                        |

## Artikeltabelle

| BEZEICHNUNG                                                                                                                                                                                                                                                                                                                      | BEST.NR.   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Optikai rendező, 48 szál, LC, 50/125µm OM5, 19", 1U, Class C<br>megfelel IEC 61753-1, RAL7035, CLASSIC                                                                                                                                                                                                                           | HELS48SLP  |
| <b>Választható tartozék</b>                                                                                                                                                                                                                                                                                                      |            |
| Optikai hegesztésvédő zsugorcső, 60mm                                                                                                                                                                                                                                                                                            | HELSP00011 |
| Optikai hegesztésvédő zsugorcső, 40mm                                                                                                                                                                                                                                                                                            | HELSP00010 |
| Optikai tisztító eszköz LC és MU<br>Használható UPC és APC csatlakozókhoz. Több mint 1000 tisztítási ciklus.                                                                                                                                                                                                                     | HELSZT001  |
| Opt. teljesítménymérő beépített lézeres fényforrással (VFL)<br>RJ45 réz kábelteszt. FIGYELEM: Ez egy 2. osztályú lézertermék. Ne nézzen a lézersugárba. A VFL port fedele mindig legyen rajta, HSELSZT003<br>amikor nincs használatban. Optikai szálal rendszerekkel végzett munka során ajánlott lézer-védőszemüveg használata. |            |
| Opt. patchkábel duplex LC/UPC - LC/UPC, 50/125µm OM5, LS0H<br>Lime zöld, 0,5m                                                                                                                                                                                                                                                    | HLP2SLL00F |
| Opt. patchkábel duplex LC/UPC - LC/UPC, 50/125µm OM5, LS0H<br>Lime zöld, 2m                                                                                                                                                                                                                                                      | HLP2SLL02F |
| Opt. patchkábel duplex LC/UPC - LC/UPC, 50/125µm OM5, LS0H<br>Lime zöld, 5m                                                                                                                                                                                                                                                      | HLP2SLL05F |