

Poliamid tokozat, átlátszó polikarbonát fedél, 270x135x129mm



SCHRACK-Info

- Installation enclosure made of impact-resistant polyamide and GRP polyester (glass-fibre reinforced)
- Cover grey or transparent made of polycarbonate, cover screws made of polyamide
- Seal Polyurethane, fully insulated, halogen-free
- Protection class (EN 60529): IP66
- Impact resistance (EN 62262): IK09
- Self-extinguishing: Glow wire test 960°C
- RAL7035 Light grey
- Accessories: Bakelite or polyester mounting plates, intermediate frame (+62.5mm)



Technische Daten

Nettó szélesség (mm)	270,00
Nettó magasság (mm)	135,00
Nettó mélység (mm)	129,00
Nettó tömeg (kg)	0,53

Technische Daten - Fortsetzung

Védettségi fokozat	IP66
Anyag	üvegszál erősítésű polikarbonát
Szín	RAL 7030
Szélesség (mm)	135
Magasság (mm)	129

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Poliamid tokozat, átlátszó polikarbonát fedél, 270x135x129mm	IG271313T
Választható tartozék	
Bakelit szerelőlap 270x135mm tokozathoz, V3	IG2713MB