

Datenblatt für Artikel: QLIES0500-

DIN-sínes Switch 4xRJ45 + 1xRJ45, tápegység nélkül

4 x 10/100Mbps, 1 x 100Mbps, 1 x sorkapocs, bemeneti feszültség 12VDC-48VDC



SCHRACK-Info

Overview

QLIES0500- Industry Ethernet Switch provides 5 ports of 10/100Base-TX Ethernet to enable high speed networking at mission-critical environment. This device is designed to be mounted on an industry standard DIN-rail, plus the clearly visible status LEDs provide simple monitoring of port link activity.

Cost Effective

This device operates under -10°C to 60°C (-14 to 140 Fahrenheit) temperature that offers optimal suitability for industrial applications at low cost while maintaining all components built to withstand harsh environment applications without compromise reliability without compromise reliability and stability.

Safety

With UL60950 standard complied that gives basic protection against electric shock, fire spread from within, ignition and burning, current circuit hazardous under normal and fault condition. As well as set of compliances to meet many EMC, isolation, vibration and shock standards.

Plug & Play

This unmanaged Industrial Ethernet Switch is designed for the demanding industrial environments at business in need of instant connectivity with no setup or configure required, truly plug and play.

Key-Features

- Provides flexibility of 5 x 10/100Base-TX ports

- -10°C to 60°C (-14°F to 140°F) and is tested for functional operation @-20°C to 70°C (-4°F to 158°F)
- 10/100Mbps Full-/Half-duplex, Auto-Negotiation, Auto-MDI/MDIX
- Supports 12 to 48VDC Power inputs
- Complies with IEC61000-6-2 EMC Generic standard immunity for Industrial environment

Order-Information

- QLIES0500- 5 FE Unmanaged Switch -10 to 60, DIN-rail

Package Contents

- QLIES0500-
- Quick Installation Guide

Technische Daten

Nettó szélesség (mm)	26,00
Nettó magasság (mm)	110,00
Nettó mélység (mm)	70,00
EAN-CODE	4015867181591
Min. környezeti hőmérséklet (°C)	0
Max. környezeti hőmérséklet (°C)	70
Termék	Ethernet switch
Sebesség	10/100Mbps
Port	5
Szerelési mód	TS35 sín

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Választható tartozék	
Ipari tápegység, 24VDC, 60W, DIN-sín	QLPOW2420
Ipari tápegység, 24VDC, 75W, DIN-sín	QLPOW2430
Ipari tápegység, 24VDC, 120W, DIN-sín	QLPOW2440
Ipari tápegység, 48VDC, 120W, DIN-sín PoE kész	QLPOW4840
Ipari tápegység, 48VDC, 240W, DIN-sín PoE kész	QLPOW4850
Ipari tápegység, 48VDC, 480W, DIN-sín PoE kész	QLPOW4860
Tápegység, 110V-240VAC 50/60Hz ; 48VDC/1.35A, 64,8W	QLPOW4801